

A UNIQUE WAY TO TREAT MORNING MIGRAINE AS YOU TAKE ON YOUR DAY



SEE THE
ONZETRA XSAIL ►
DIFFERENCE INSIDE

ONZETRA[®] Xsail[®]
(sumatriptan nasal powder)
11 mg per nosepiece

Important Safety Information

What is ONZETRA[®] Xsail[®] (sumatriptan nasal powder) used for?

ONZETRA Xsail is a prescription medication approved for the acute treatment of migraine, with or without aura in adults. ONZETRA Xsail is used for people who have been told by a healthcare provider that they have migraine headaches. ONZETRA Xsail is not for the prevention of migraines or for other types of headaches, including cluster headache.

What important information should I know about ONZETRA Xsail?

ONZETRA Xsail may cause serious side effects, including:

- **Heart attack and other heart problems**, which may lead to death. Stop using ONZETRA Xsail and get emergency medical help right away if you have any symptoms of a heart attack

Please see Important Safety Information throughout this brochure.

ALL MIGRAINES HURT

Migraine is a neurological condition. During a migraine attack, your nerves release signals that cause the blood vessels in your brain to expand.

This may result in:

- Painful throbbing
- Nausea and vomiting
- Sensitivity to light and noise



MIGRAINES ARE VERY COMMON.
MORE THAN

39 million
people in the United States get migraine attacks



MIGRAINES CAN LAST FROM

4 TO 72 hours

Please see Important Safety Information throughout this brochure.

BUT A MIGRAINE IN THE MORNING CAN BE A REAL PAIN

There's never a good time for a migraine, but a migraine in the morning can disrupt your day before it starts.

ALMOST

half



of all migraine attacks

start between **4 AM and 9 AM**

7 OUT OF **10** PEOPLE

surveyed have been **awakened
by a migraine**

Whether you're juggling work and family, or you're just someone who can't be slowed down, you need a treatment that will help you move past your migraine pain as you get on with your day.

Important Safety Information

What important information should I know about ONZETRA Xsail?

ONZETRA Xsail may cause serious side effects, including:

- **Heart attack and other heart problems**, which may lead to death. Stop using ONZETRA Xsail and get emergency medical help right away if you have any symptoms of a heart attack like shortness of breath or tightness, pain, pressure, or heaviness in your chest, throat, neck, or jaw that is severe or does not go away

A DIFFERENT WAY TO TREAT MORNING MIGRAINE

A morning migraine can make it difficult to start your day. If you experience nausea and vomiting with the pain, taking an oral medication, like a pill, may be hard. That's why ONZETRA Xsail, a non-oral treatment that works fast, may be an option for you.



ONZETRA Xsail isn't a pill, a nasal spray, or an injection. It's a unique way to treat morning migraine.

Sumatriptan, the active ingredient in ONZETRA, is the most-prescribed migraine medication, and has been used safely and effectively for more than 20 years.

Important Safety Information

ONZETRA Xsail may cause serious side effects, including:

- **Changes in color or sensation in your fingers and toes** (Raynaud's syndrome)
- **Stomach and intestinal problems** (gastrointestinal and colonic ischemic events)
- **Problems with blood circulation to your legs and feet** (peripheral vascular ischemia)
- **Serious allergic reactions** (symptoms include hives; tongue, mouth, lip, or throat swelling; problems breathing)

Please see Important Safety Information throughout this brochure.



ONZETRA Xsail can help you move past your morning migraine as you take on your day.

Important Safety Information

- **Medication overuse headaches.** Some people who use ONZETRA Xsail too many times may have worse headaches. If your headaches get worse your doctor may decide to stop your treatment with ONZETRA Xsail
- **Serotonin syndrome**, a rare but serious problem that can happen in people using ONZETRA Xsail, especially if ONZETRA Xsail is used with antidepressant medicines called SSRIs, SNRIs, or TCAs. Call your doctor right away if you have any of the following symptoms of serotonin syndrome: mental changes such as seeing things that are not there (hallucinations), agitation, or coma; fast heartbeat; changes in blood pressure; high body temperature; tight muscles; trouble walking; or nausea, vomiting, or diarrhea

ONZETRA[®] Xsail[®]
(sumatriptan nasal powder)
11 mg per nosepiece

THE ONZETRA XSAIL DIFFERENCE:

BREATH POWERED® DELIVERY

YOU CAN
treat your
morning
migraine with
ONZETRA Xsail
as soon as
you wake up



HOW IT WORKS

ONZETRA Xsail allows you to control the delivery of your medication. The unique device uses the power of your own breath to deliver medicine directly to the back of your nose—it's sumatriptan taken differently!

Important Safety Information

ONZETRA Xsail may cause serious side effects, including:

- **Seizures.** Seizures have happened in people taking sumatriptan who have never had seizures before

The most common side effects of ONZETRA Xsail are abnormal taste, discomfort of your nose or throat, runny nose, and stuffy nose. This is not a complete list of side effects. Tell your doctor about any side effect that bothers you or does not go away.

Please see Important Safety Information throughout this brochure.



WHY IT WORKS

The back of your nose is full of absorbent tissue and blood vessels, so the powder medication is quickly absorbed.

Breath Powered delivery also limits medication from dripping into your throat or reaching your stomach or lungs.

ONZETRA® Xsail™
(sumatriptan nasal powder)
11 mg per nosepiece

THE POWER TO TAKE ON YOUR MORNING MIGRAINE



FAST RELIEF

30 minutes: Almost **half** of migraine sufferers had significant pain relief in 30 minutes (42% vs 27% on placebo)



EFFECTIVE RELIEF

2 hours: About **70%** of migraine sufferers had significant pain relief at 2 hours (68% vs 45% on placebo)

AS YOU GET ON WITH YOUR DAY



THAT CAN LAST

48 hours: More than **60%** of people who used ONZETRA did not take additional medication through 48 hours (63% vs 48% on placebo)

Important Safety Information

Who should not take ONZETRA Xsail?

Do not take ONZETRA Xsail or stop using ONZETRA Xsail if you:

- Have heart problems or a history of heart problems
- Have had a stroke, transient ischemic attacks (TIAs), or problems with your blood circulation
- Have uncontrolled high blood pressure
- Have hemiplegic migraines or basilar migraines. If you are not sure if you have these, ask your doctor
- Have peripheral vascular disease (narrowing of blood vessels to the legs, arms, stomach, intestines, or kidneys)
- Have taken other migraine medications in the last 24 hours, including other triptans, ergots, or ergot-type medications. Ask your doctor for a list of these medicines if you are not sure
- Are taking a medicine called a monoamine oxidase inhibitor (MAOI). MAOIs cannot be taken within 14 days before or after taking ONZETRA Xsail
- Have severe liver problems
- Have an allergy to sumatriptan, the medicine in ONZETRA Xsail, or any of the components in ONZETRA Xsail

Please see Important Safety Information throughout this brochure.



ONZETRA Xsail[®]
(sumatriptan nasal powder)
11 mg per nosepiece

ONZETRA IS WELL TOLERATED

The most common side effects reported by people using ONZETRA were:

- A mild metallic taste (no patient stopped taking ONZETRA due to taste)
- Nasal discomfort
- Runny or stuffy nose

Less than 2% of migraine attacks treated with ONZETRA resulted in triptan sensations, the most common side effect of triptans, which include uncomfortable chest pressure and tightness

Triptan sensations are usually not caused by a heart condition. They include: paraesthesias (tingling or numbness of the skin), flushing, neck pain, and mild, transient chest pressure. None of these events were serious or led people to discontinue ONZETRA. However, if you have heart problems or a history of heart problems, be sure to tell your doctor before using ONZETRA.

These are not all the possible risks of ONZETRA. Tell your doctor about any side effect that bothers you or does not go away. **For additional Important Safety Information about ONZETRA Xsail, please see enclosed Patient Information including Instructions for Use.**

Important Safety Information

What should I tell my healthcare provider before taking ONZETRA Xsail?

Before you take ONZETRA Xsail, tell your doctor about all your medical conditions and all the medicines you take, including prescription medicines, especially antidepressants, and all over-the-counter medicines, vitamins, and herbal supplements.

Please see Important Safety Information throughout this brochure.

HOW TO TAKE ONZETRA XSAIL

1 GET THE MEDICATION READY

Insert 1 nosepiece into the device. Fully press and release the white button to pierce the capsule. **If you skip this step, you will not get any medication.**



2 POSITION IN NOSE AND MOUTH

Insert the nosepiece deeply into your nose and rotate the device to place the mouthpiece into your mouth.



3 BLOW STEADILY

Blow into the device for 2-3 seconds. Take the nosepiece out of the device and throw it away.



Repeat steps 1-3 with the second nosepiece in other nostril.

► **Text ONZETRA to 313131**
to view an instructional video

These are not the complete Instructions for Use. Prior to using ONZETRA Xsail, carefully review the full Instructions for Use in the Patient Information.

ONZETRA Xsail[®]
(sumatriptan nasal powder)
11 mg per nosepiece

IT'S EASY TO GET STARTED ON ONZETRA XSAIL

NEARLY **90%**

OF PATIENTS studied found
ONZETRA easy to use (N=108)

Find the information you need at
onzetra.com

- ✓ Learn how easy it is to use
- ✓ Try it yourself through a virtual demonstration
- ✓ Stay up-to-date on current news and information

Important Safety Information

What should I avoid while taking ONZETRA Xsail?

ONZETRA Xsail can cause dizziness, weakness, or drowsiness. If you have these symptoms, do not drive a car, use machinery, or do anything where you need to be alert.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 800-FDA-1088.

For additional Important Safety Information about ONZETRA Xsail, please see enclosed Patient Information including Instructions for Use.



TEXT
ONZETRA
to **313131** to view an
instructional video



ONZETRA[®] Xsail[®]
(sumatriptan nasal powder)
11 mg per nosepiece

PAY AS LITTLE AS

\$0*

for Onzetra Xsail

WITH THE

CurAccess™
PATIENT SUPPORT PROGRAM



You may pay as little as \$0* for your Onzetra Xsail prescription when using the CurAccess™ Patient Support Program.

BENEFITS TO YOU INCLUDE:

- 100% Coverage if you have commercial insurance
- You pay either a \$0 or \$30 copay if you have commercial insurance
- NO Prior Authorizations (PA) ever required
- Your Onzetra Xsail prescription will be shipped to you by Free Home Delivery in 1-3 business days

INSTRUCTIONS FOR YOUR HEALTHCARE PROVIDER

To Prescribe via e-Rx



- Locate the pharmacy in EMR:
ProCare Pharmacy Care
2650 SW 145th Avenue
Miramar, FL 33027
(800) 662-0586
NCPDP/NABP: 1098121
NPI: 1427160357
- e-Prescribe Onzetra Xsail to ProCare in Miramar, FL.

To Prescribe via Fax



- Fax Rx Order Form with a copy of Rx Insurance Card to 1-844-737-6490

* This offer is not valid if your prescription is paid/partially paid by Medicaid, Medicare, Federal or State healthcare programs. Void where prohibited by law.

ONZETRA® Xsail®
(sumatriptan nasal powder)
11 mg per nosepiece

MORNING MIGRAINE, THIS IS YOUR WAKE-UP CALL

ONZETRA Xsail is a different way to treat morning migraine

Breath Powered® delivery

Works fast and can last

Well tolerated

Easy to use

PAY AS LITTLE AS

\$0*

FOR YOUR
PRESCRIPTION.

**Find out
how inside!**



*Valid for commercially-insured patients only. Exclusions may apply.

**Please see Important Safety Information
throughout this brochure.**

ONZETRA® Xsail®
(sumatriptan nasal powder)
11 mg per nosepiece

Currax™
pharmaceuticals LLC

Breath Powered is a registered trademark of OptiNose AS.
All other trademarks, registered or otherwise, are the
property of Currax Pharmaceuticals LLC.
© 2019 Currax Pharmaceuticals LLC.
ONZ-US-0010 11/19